



AMP | AMP Type III+

TE Internal #: 1-66602-1

AMP Type III+, Power Contacts, Contact, Tin, 18 – 14AWG Wire Size, .8 – 2mm² Wire Size, Wire & Cable, Crimp, 13A Contact Current Rating (Max)

[View on TE.com >](#)

Connectors > Power Connectors > Power Contacts



Power Contact Type: **Contact**

Contact Mating Area Plating Material: **Tin**

Wire Size: **.8 – 2 mm²**

Connector & Contact Terminates To: **Wire & Cable**

Features

Product Type Features

Power Contact Type	Contact
Connector & Contact Terminates To	Wire & Cable

Electrical Characteristics

Test Current	13 A
--------------	------

Contact Features

Contact Mating Area Plating Material	Tin
Contact Current Rating (Max)	13 A
Contact Type	Pin
Mating Pin Diameter	1.57 mm[.062 in]
Contact Base Material	Brass
Contact Mating Area Plating Material Thickness	2.54 μm[100 μin]
Wire Contact Termination Area Plating Material Thickness	1.27 μm[50 μin]
Wire Contact Termination Area Plating Material	Tin
Wire Contact Termination Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 μm[50 μin]
Contact Size	16

Termination Features



Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Wire Size	.8 – 2 mm ²
Accepts Wire Insulation Diameter Range	2.79 – 3.81 mm [.11 – .15 in]

Usage Conditions

Operating Temperature Range	-55 – 90 °C [-67 – 194 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Packaging Features

Packaging Method	Box, Loose Piece
Packaging Quantity	100

Other

Wire/Cable Type	Discrete Wire
For Use With	CPC Connectors
Comment	Contacts can only be used in Metrimate, Series 1 (Arr. 23-24), Series 4 (Arr. 23-13M, 23-16M, 23-22M), and VDE connectors.

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Model / Part # 200893-2
INSERTION TOOL CONT



TE Model / Part # 91521-1
CERTICRIMP 2,SAHT TYPE III+



TE Model / Part # 539972-1
EXTRACTION TOOL




TE Model / Part # 305183
EXTRACT TOOL TYPE 2 20-16



TE Model / Part # 91521-3
CC II HEAD ASSY TYPE III+

Also in the Series | AMP Type III+



Power Contacts(409)

Customers Also Bought



TE Model / Part #66602-1
III+ PIN, 18-14, TIN-LEAD, LP



TE Model / Part #2-1879352-3
RR02 5% 2R7 AMMO



TE Model / Part #103638-8
09 MTE HDR SRST LATCH .100CL




TE Model / Part #1825910-1
FSM2JLH=6MM TACT SWITCH, HIGH TEMP



TE Model / Part #2213188-4
Assembly, ICE Connector 1.6 PCB w cap



TE Model / Part #66601-1
III+ SKT, 18-14, TIN-LEAD, LP



TE Model / Part #2-1586017-4
24P FH PLUG VAL-U-LOK V0

Documents

Product Drawings

III+ PIN, 18-14, TIN, LP, S/P

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1-66602-1_S.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-66602-1_S.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-66602-1_S.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English