

CK1,6-BR-2,50ST AG

Order No.: 1884160



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1884160>

Rolled male contact, taped, silver-plated, 1.5 mm² ... 2.5 mm²

Commercial data

GTIN (EAN)	4017918163860
Note	Made-to-order
sales group	D293
Pack	2000 pcs.
Customs tariff	85389099
Weight/Piece	0.0007 KG
Catalog page information	Page 261 (PC-2005)

Product notes

WEEE/RoHS-compliant since:
12/01/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals



Certification

GOST

Accessories

Item	Designation	Description
------	-------------	-------------

General


1884869	VC-EW 1,6	Contact removal tool, for turned and rolled CK- 1.6-... contacts
---------	-----------	--

Tools

1676734	CK1,6/2,5-MWZ	Assembly tool, for CK 1.6... crimp contacts for small conductor cross sections
---------	---------------	--

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;