

CK1,6-BR-2,50ST AG


Order No.: 1884160



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1884160>

Rolled male contact, taped, silver-plated, 1.5 mm² ... 2.5 mm²

Commercial data

GTIN (EAN)	 4 017918 163860
Note	Made-to-order
sales group	D293
Pack	2000 pcs.
Customs tariff	85389099
Catalog page information	Page 261 (PC-2005)

Product notes

WEEE/RoHS-compliant since:
09/15/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals

Certification

GOST

Accessories

Item	Designation	Description
------	-------------	-------------

General


1884869	VC-EW 1,6	Contact removal tool, for turned and rolled CK- 1.6-... contacts
---------	-----------	--

Tools

1676734	CK1,6/2,5-MWZ	Assembly tool, for CK 1.6... crimp contacts for small conductor cross sections
---------	---------------	--

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;